

The world's most hygienic high-volume high-flow water dispenser

Purification. Performance. Style.

Designed to deliver microbiologically purified ice-cold still and sparkling water, the WLH2 Firewall Bar Classe Series (WLH2 FW Bar - C Series) is a robust, reliable and elegantly crafted dispenser. Ideally suited for environments such as large offices, healthcare, catering and hospitality venues, where access to high volume output along with a hygiene guarantee are essential.





Innovated for efficiency

The WLH2 FW Bar - C Series doesn't just look the part, it's been designed to be used with ease too. Designed for making bottle filling easy, it can handle peak-time usage with its continuous dispense option and automatic portion control. Sequential dispensing offers easy alternation between chilled and sparkling water, ensuring speed of service no matter how busy it gets.





FW Bar - C Series. Adjustable drip tray height and accurate positioning bottle holders allow for vessels of variable sizes* to fit perfectly underneath the dispense taps and reduce unnecessary water spillage.



Powerful performance

Engineered to deliver unrivalled performance, the unit can dispense up to 160 litres per hour (42 gal/h).

Leading technology

High flow dispensing

Thanks to its high-flow rate (up to 3.5 Litres/min), and the dual and sequential dispensing, the WLH2 FW Bar - C Series is able to fulfil the hydration needs of the busiest environments, even at peak times, guaranteeing speed of service.

Ice Bath cooling technology ensures still and sparkling outputs are consistently maintained at ice-cold temperatures.

up to

160 litres

(42 gal/h)





Unrivalled purification

WLH2 FW Bar - C Series features HORECA Firewall, the ultimate UVC purification technology for high flow point of use dispensers.

Patented and extensively certified, Firewall treats still and sparkling with a thorough purification action all the way through up to the point of dispense, deactivating pathogens and delivering microbiologically safe water.

Also acting as a barrier, viruses and pathogenic bacteria are destroyed, preventing the system to be infected by back-contamination.

High flow performance filtration



The professional grade filtration satisfies the need for dispensing high volumes of water, effectively addressing colour, taste and odour, for great tasting, crystal-clear



Guaranteed free from: up to 99.9999% bacteria, 99.99% FIREWALL° viruses and 99.9% cysts.

Hygiene guarantee

The WLH2 FW Bar - C Series has hygiene and safety at its forefront. The shielded dispensing nozzle and BioCote® antimicrobial protection help reduce bacteria build up and the risk for cross-contamination, whilst the removable side plates and stainless-steel body make cleaning and maintenance a breeze.

Stainless steel body and key parts to facilitate regular cleaning operations

Shielded dispensing nozzles for better hygiene



The bottle holders and floater mechanism are protected by BioCote® antimicrobial technology proven effective against all common microbes including bacteria, mould and fungi





Removable steel side plate facilitates air filter cleaning

12

The most highly certified high-volume high-flow water dispenser

For additional peace of mind and guarantee of quality and performance, the WLH2 FW Bar - C Series has been extensively tested and certified by the world's leading hygiene and water quality organisations.

The HORECA Firewall is certified by IAPMO R&T to NSF/ANSI 55 Class A, NSF P231 US EPA Guide Standard and Protocol for Testing Microbiological Water Purifiers, and NSF 372 for lead free compliance.

HACCP International certifies that WLH2 Firewall™ Bar – Classe Series and the associated services provided by Waterlogic are suitable for delivering safe drinking water for businesses that operate a HACCP based food safety programme.













Additional features

On top of its unrivalled purification and outstanding performance, the WLH2 FW Bar - C Series boasts versatility of sizes, energy-saving sleep mode and supreme quality sparkling water system, plus many more additional features.



Versatile base cabinet (optional) converts the unit from countertop to freestanding, and provides additional storage space;



Programmable energy saving sleep mode to significantly reduce power consumption when the unit is not in use;



Firewall UV lamp monitoring system guarantees consistent standards of water purification;



Sparkling system includes CO₂ gas pressure control and is engineered to deliver supreme quality ice-cold carbonated water, comparable to even the finest bottled water;



Eco-friendly refrigeration using R600a*: naturally occurring refrigerant gas with low GWP (Global Warming Potential) and zero ODP (Ozone Depletion Potential);

*R600a available on 220/240v models only.

Technical specifications

Configurations

Countertop and Freestanding.
(Hands-free pedal controls available upon request.)

Recommended environments

Large offices, healthcare, hospitality & catering

Dimensions

Countertop: 400 mm/15.74" (W) x 607 mm/23.90" (H) x 590 mm/23.22" (D) [Including wheels]

Freestanding: 400 mm/15.74" (W) x 1392 mm/54.80" (H) x 590 mm/23.22" (D)

Base cabinet only: 400 mm/15.74" (W) x 824 mm/32.44" (H) 590 mm/23.22" (D)

Water options


Cold	Sparkling	


Leading technologies

High-flow erformance filtration	Horeca dual Firewall	BioCote® protection.
4.4		_



100+







Better thinking, better water, better for you, better for the planet.

At Waterlogic, everything starts with the way we think about water. Behind every drop of Waterlogic water are years of knowledge, innovation and experience to deliver purified, great-tasting water in the safest and most sustainable way.

And because we design, manufacture, distribute, install and service our own water dispensers, you can enjoy unparalleled product quality including a range of consumables and accessories, and highly responsive Total Care service that is second-to-none.

Contact us today to learn more about Waterlogic and find out which solution is right for you.

Call + 44 (0)0333 600 1845 Email enquiries@waterlogic.co.uk Visit www.waterlogic.co.uk



